



home  
automation



lighting



electric



furniture

**ORNO**<sup>®</sup>

LIVING INNOVATIONS



## DATA SHEET

Flush mounted LED downlight AKMAN, 9W, 3000K

symbol: **OR-OD-6054WLX3**

**Manufacturer:**

ORNO-LOGISTIC Sp. z o.o.  
ul. Katowicka 134, 43-190 Mikołów  
tel: 32 43 43 110  
www.orno.pl

ISBN 5902560325188



5 902560 325188 >

# Product **versions:**

	<b>Flush mounted LED downlight AKMAN, 9W, 3000K</b> OR-OD-6054WLX3	: 9W Luminous flux: 480lm Colour temperature: 3000K	ISBN 5902560325188  5 902560 325188 >
	<b>Flush mounted LED downlight AKMAN, 9W, 4000K</b> OR-OD-6054WLX4	: 9W Luminous flux: 480lm Colour temperature: 4000K	ISBN 5902560320503  5 902560 320503 >
	<b>Flush mounted LED downlight AKMAN, 12W, 3000K</b> OR-OD-6055WLX3	: 12W Luminous flux: 780lm Colour temperature: 3000K	ISBN 5902560325195  5 902560 325195 >
	<b>Flush mounted LED downlight AKMAN, 12W, 4000K</b> OR-OD-6055WLX4	: 12W Luminous flux: 780lm Colour temperature: 4000K	ISBN 5902560320510  5 902560 320510 >
	<b>Flush mounted LED downlight AKMAN, 18W, 3000K</b> OR-OD-6056WLX3	: 18W Luminous flux: 1300lm Colour temperature: 3000K	ISBN 5902560325201  5 902560 325201 >
	<b>Flush mounted LED downlight AKMAN, 18W, 4000K</b> OR-OD-6056WLX4	: 18W Luminous flux: 1300lm Colour temperature: 4000K	ISBN 5902560320527  5 902560 320527 >

## The main **features:**

Use of the LED technology guarantees high energy efficiency and long life Can be easily mounted in a suspended ceiling Built-in LED driver.



LUMINOUS FLUX:  
480lm

K

COLOUR  
TEMPERATURE:  
3000K



INSTALLATION:  
flush mounting

## Technical **specifications:**

### General Information

Power supply:	230V~, 50Hz
Light source:	LED SMD
Colour rendering index (ra):	>80
Luminous flux:	480lm
Colour temperature:	3000K
Material of the lampshade:	acrylic glass (PMMA)
Protection rating:	IP20
Dimmer:	✘ no
Installation:	flush mounting
Colour:	white
Dimensions (width x height x depth [mm]):	115 / 115 / 32
Other features:	built-in power supply, aluminum insert